This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Problem Image Mailbox.

FIG. 1


LAN
1
LAN I/F
18
2
8
CPU
3
Panel Section
4
Facsimile Tx/Rc
5
MODEM
17
PSTN
19
Printer/Display
6
Coder/Decoder
7
Default Transmitter's ID
11
Transmitter's ID Table
12
Host Name Table
13
IP Address Table
14
Image Data Storage Region
15
Sending Mail Creating Region
16
ROM
9
Scanner
10

FIG. 2A

Transmitter Information Default

Machine's Name	Mail Address
Internet FAX	fax@aaa.bbb.jp

FIG. 2B

Transmitter's Identification Table

Transmitter's Name	Mail Address
suzuki	usr1@abc. defg. jp
yamada	usr2@abc. defg. jp
MGCS	*not set*
not set	usr4@abc. defg. jp

FIG. 3


START
Input Recipient's Address
S1
S2
Change Transmitter?
no
yes
S10
S3
Change only a Name?
no
B
Use Defaults as Transmitter's ID
yes
S4
Input directly?
no
yes
S5
S6
Input Transmitter's Name through Panel Section
Change Transmitter's Name using ID Table
A
Read Message by Scanner
S7
Settle Transmitter's ID
S8
Send
S9

FIG. 4


B
S11
Input directly?
no
yes
S12
S15
Input Mail Address and Transmitter's Name through Panel Section
Change Mail Address and Transmitter's Name using ID Table
S13
Change Mail From
no
yes
S14
Change Mail Address of Message Transfer Protocol
A

FIG. 5A

Mail From Command

MAIL<SP>FROM:<reverse-path>

Mail Message

Mime-Version: 1. 0

X-Mailer: Internet FAX, MGCS

From: "comment"<Mail address>

Subject: * * * *

To: aaa@bbb. ccc. ddd

Fig. 5B

Change Transmitter's Name of Mail Message into "suzuki"

Mail From Command

MAIL FROM:<fax@aaa. bbb. jp>

Mail Message

Mime-Version: 1. 0

X-Mailer: Internet FAX, MGCS

From: "suzuki", fax@aaa. bbb. jp>

Subject: * * * *

To: aaa@bbb. ccc. ddd

FIG. 5C

Change Transmitter's Name and Mail Address of Mail Message into "suzuki"

Mail From Command

MAIL FROM:<fax@aaa. bbb. jp>

Mail Message

Mime-Version: 1. 0

X-Mailer: Internet FAX, MGCS

From: "suzuki"<usr1@abc. defg. jp>

Subject: * * * *

To: aaa@bbb. ccc. ddd

FIG. 5D

Change Transmitter's Name, Mail Address and Mail From Command into "suzuki"

Mail From Command

Mail FROM:<usr1@abc. defg. jp>

Mail Message

Mime-Version:1. 0

X-Mailer:Internet FAX, MGCS

From:"suzuki"<usr1@abc. defg. jp>

Subject:＊＊＊＊

To:aaa@bbb. ccc. ddd

FIG. 5E

Change Transmitter's Name, Mail Address and Mail From Command into "MGCS"

Mail From Command

MAIL FROM:<fax@aaa. bbb. jp>

Mail Message

Mime-Version:1. 0

X-Mailer:Internet FAX, MGCS

From:"MGCS"<fax@aaa. bbb. jp>

Subject:＊＊＊＊

To:aaa@bbb. ccc. ddd

FIG. 5F

Change Transmitter's Name, Mail Address and Mail From Command into "usr4@abc. defg. jp"

Mail From Command

MAIL FROM:<usr4@abc. defg. jp>

Mail Message

Mime-Version:1. 0

X-Mailer:Internet FAX, MGCS

From:<usr4@abc. defg. jp>

Subject:＊＊＊＊

To:aaa@bbb. ccc. ddd

FIG. 6


START
Input Password
S20
S21
Request Reg. Form?
no
D
yes
S22
Verify Requesting Party?
no
C
yes
S23
Verify IP Address?
no
yes
S27
no
Verify Host Name?
S24
no
Coincident IP Address?
yes
C
yes
S28
Coincident Host Name?
yes
no
Output Reg. Form
S25
Notice Error
S26

FIG. 7


D
S31
Request Display Reg. Data?
no
F
yes
S32
Verify Requesting Party?
no
E
yes
S33
Verify IP Address?
no
yes
S38
Verify Host Name?
no
S34
Coincident IP Address?
no
yes
S39
Coincident Host Name?
no
E
yes
yes
no
Verify Password?
S35
yes
S36
no
Coincident Password?
yes
S37
Output Reg. Form with Data
S40
Notice Error

FIG. 8


F
S41
Request Registering Data?
no
yes
S42
Verify Requesting Party?
no
G
yes
S43
Verify IP Address?
no
yes
S44
Coincident IP Address?
no
yes
G
S48
Verify Host Name?
no
yes
S49
Coincident Host Name?
no
yes
Verify Password?
S45
no
yes
S46
Coincident Password?
no
yes
Register Data
S47
Notice Error
S50

FIG. 9A

Transmitter's ID Table

I P Address	I P MASK
001.001.001.001	255.255.255.128
001.001.002.123	
001.002.003.111	
.	.
.	.
.	.

FIG. 9B

Host Name Table

Host Name
pc1.abc.defg.jp
pc2.abc.defg.jp
aaa.bbb.jp
.
.
.

FIG. 10


REGISTRATION AND CONFIRMATION OF TRANSMITTER INFORMATION
PASSWORD
f1
REGISTRATION
f2
Registration of Data
READ OUT
f3
Display Registerd Data
f4
Transmitter's Name
Mail Address
f5
Error Mail
f6
01
02
03
04
05
06
07
08
09
10
f7
SEND
ERASE
f8

FIG. 11

R: 220 BBN-UNIX. ARPA Simple Mail Transfer Service Ready
S: HELO USC-ISIF. ARPA
R: 250 BBN-UNIX. APPA

S: MAIL FROM: <Smith@USC-ISIF. ARPA>
R: 250 OK

S: RCPT TO: <Jones@BBN-UNIX. ARPA>
R: 250 OK

S: RCPT TO: <Green@BBN-UNIX. ARPA>
R: 550 No Such user here

S: RCPT TO: <Brown@BBN-UNIX. ARPA>
R: 250 OK

S: DATA
R: 354 Start mail input; end with <CRLF>. <CRLF>
S: Blah blah blah...
R: ...etc. etc. etc.
S: .
R: 250 OK

S: QUIT
R: 221 BBN-UNIX. ARPA Service closing transmission channel

FIG. 12A

Verify IP Address without MASK		
from 001.001.002.123	Coincident	Receive
from 001.001.002.124	Not Coincident	Reject

FIG. 12B

Verify IP Address with MASK		
from 001.001.001.103	Coincident	Receive
from 001.001.001.201	Not Coincident	Reject

FIG. 12C

Verify Host Name		
from pc1.abc.defg.jp	Coincident	Receive
from pc3.abc.defg.jp	Not Coincident	Reject

FIG. 12D

Verify Host Name		
from ws1.aaa.bbb.jp	Coincident	Receive
from ws2.aab.bbb.jp	Not Coincident	Reject